ISSN 1684 – 8403 Journal of Statistics Vol: 12, No.1 (2005)

# **Panel Model for Wheat Prices**

**Tanveer Akhlaq\*** 

#### Muhammad Qaiser Shahbaz\*\*

## Abstract

A forecast models for wheat prices for the country is developed by taking production area and imports as independent variables for the data 1971 to 2004.Panel model technique is used to develop the models.

#### Introduction

Pakistan has a rich and vast natural resource base, covering various ecological and climatic zones; hence the country has great potential for producing all types of food commodities.

Agriculture is the hub of economic activity in Pakistan. It lays down foundation for economic development and growth of the economy. It directly contributes 25 per cent to Gross Domestic Product (GDP) and provides employment to 44 per cent of the total labour force of the country.

Wheat is the main Rabi crop it is the leading food grain of Pakistan and being the staple diet of the people it occupies a central position in agricultural policies .It contributes 12.5% of the value added in agriculture and 2.9% to GDP. Wheat was cultivated at an area of 7983 thousand hectares 2.4% lower then last year .The size of the wheat crop is provisionally estimated at 18475 thousand tones which is 2.9% lower then last year .The long dry spell effected the crop both in barani and irrigated area The yield per hectare also decreased by 0.5%. The increase in wheat production was mainly due to increase in area by 2% and yield 15%.

<sup>\*</sup> Department of Statistics, Garrison Degree College, Lahore Cantt.

<sup>\*\*</sup> Department of Statistics, Government College University, Lahore.

Akhlaq and Shahbaz

| AGRICULTURE GROWTH IN PAKISTAN (1990-2003) |             |        |       |  |
|--|-------------|--------|-------|--|
| YEAR                                       | AGRICULTURE | MAJOR  | MINOR |  |
|  |             | CROPS  | CROPS |  |
| 1990-91                                    | 4.96        | 5.69   | 3.51  |  |
| 1991-92                                    | 9.50        | 15.48  | 2.37  |  |
| 1992-93                                    | -5.29       | -15.60 | 3.95  |  |
| 1993-94                                    | 5.23        | 1.24   | 12.62 |  |
| 1994-95                                    | 6.57        | 8.69   | 6.91  |  |
| 1995-96                                    | 11.72       | 5.96   | 4.89  |  |
| 1996-97                                    | 0.12        | -4.33  | 0.94  |  |
| 1997-98                                    | 4.52        | 8.27   | 8.13  |  |
| 1998-99                                    | 1.95        | -0.02  | 4.23  |  |
| 1999-00                                    | 6.09        | 15.42  | -9.10 |  |
| 2000-01                                    | -2.64       | -9.79  | 0.11  |  |
| 2001-02                                    | -0.07       | -1.83  | -1.82 |  |
| 2002-03                                    | 4.15        | 5.80   | 0.41  |  |

Table 1



#### 2. PANAL DATA MODELS

The basic frame work for this discussion is a regression model of the form

$$y_{it} = X'_{it}\beta + z'_i\alpha + \varepsilon_{it}$$

### 2.1 FIXED EFFECTS

This formulation of the model assumes that differences across units can be captured in differences in the constant term. Each  $\alpha_i$  is treated as an unknown parameter to be estimated.

Let  $y_i$  and  $X_i$  be the T observations for the  $i^{th}$  unit, I be a  $T \times I$  column of ones and let  $e_i$  be associated  $T \times I$  vector of disturbances, then

$$y_i = X_i \beta + i\alpha_i + \varepsilon_i$$

Cornwell and Schmidt (1984)

$$y = \begin{bmatrix} X & d_1 & d_2 & \dots & d_n \end{bmatrix} \begin{bmatrix} \beta \\ \alpha \end{bmatrix} + \epsilon_i$$

Where  $d_i$  is a dummy variable indicating the  $i^{th}$  unit. Let the  $nT \times n$  matrix

$$D = \begin{bmatrix} d_1 & d_2 & d_3 \\ y_i = X\beta + D\alpha + \varepsilon \end{bmatrix}.$$

The least squares estimators of  $\beta$  as

$$b = [X' M_D X]^{-1} [X' M_D y]$$
$$a = [D'D]^{-1} D' (y - Xb)$$
$$Var(b) = s^2 [X'M_D X]^{-1}$$

The F ratio used for this test is

$$F(n-1, nT - n - K) = \frac{(R_{LSDV}^2 - R_{pooled}^2)/(n-1)}{(1 - R_{LSDV}^2)/(nT - n - K)}$$

## 2.2 RANDOM EFFECTS

$$y_{it} = x'_{it}b + (a + u_i) + \epsilon_{it}$$
  
Mundlak (1978)

Where there are K regressor including a constant and now the single constant term is the mean of the unobserved hetrogenity,  $E[z'_i\alpha]$ . The component is the random hetrogenity specific to the

ith observation and is constant through time. And further more the assumption involve in this modeling are,

$$E[\varepsilon_{it} / X] = E[\mu_i / X] = 0$$
  

$$E[\varepsilon_{it}^2 / X] = \sigma_{\varepsilon}^2$$
  

$$E[\mu_i^2 / X] = \sigma_{\mu}^2$$
  

$$E[\varepsilon_{it}\varepsilon_{js}] = E[\mu_i \mu_j] = 0 \qquad if \ i \neq j \quad and \quad t \neq s$$

The formulation of the model in blocks of T observations for group I,  $y_i, X_i, \mu_i i, and \varepsilon_i$ . For these T observation, let

$$\eta_{it} = \varepsilon_{it} + \mu_i$$

And 
$$\eta_i = [\eta_{i1}, \eta_{i2}, \dots, \eta_{iT}]'$$

The covariance matrix is given below

$$\Sigma = \sigma_{\varepsilon}^2 I_T + \sigma_{\mu}^2 I_T I_T$$

The generalized least square estimate of  $\beta$  is,

$$\hat{\boldsymbol{\beta}} = [X'\hat{\Omega}^{-1}X][X'\hat{\Omega}^{-1}y]$$
Hsiao (1986)

$$\Omega = I_n \otimes \Sigma$$

Breusch and pagan (1980) have devised a Lagrange multiplier test for the random effects model based on the OLS residuals for

$$H_o: \sigma_{\mu}^2 = 0$$
$$H_1: \sigma_{\mu}^2 \neq 0$$

And the following test statistics is distributed as Chi-Square with one degree of freedom is

$$LM = \frac{nT}{2(T-1)} \left[ \frac{T^2 \overline{e}' \overline{e}}{e' e} - 1 \right]^2$$

# 2.3 RANDOM CO-EFFICIENTS MODELS

$$y_i = X_i \beta_i + \epsilon_i$$

Hildreth and Houck (1968)

We find that  $\Omega$  is a block diagonal matrix with

63

$$\Omega_{ii} = E\left[(y_i - X_i\beta)(y_i - X_i\beta)' | X_i\right] = \sigma^2 I_T + X_i \Gamma X_i'$$

we can write the GLS estimator as

$$\beta = (X'\Omega^{-1}X)^{-1}X'\Omega^{-1}y = \sum_{i=1}^{n} W_i b_i$$

10

where

$$W_{i} = \left[\sum_{i=1}^{n} \left(\Gamma + \sigma_{i}^{2} (X_{i}'X_{i})^{-1}\right)^{-1}\right]^{-1} \left(\Gamma + \sigma_{i}^{2} (X_{i}'X_{i})^{-1}\right)^{-1}$$

Swamy (1971)

## **3. ANLYSIS**

The data is used for this purpose is form 1971 to 2004. The data is taken from "fifty years of Pakistan in statistics" and "statistical year book". The prices are taken to be dependent variable, and area and production are taken to be independent variable.

The descriptive results for all the variables are given bellow

## TABLE 2

# **Descriptive Statistics**

|            |     | Minimu | Maximu   |           | Std.       |
|------------|-----|--------|----------|-----------|------------|
|            | Ν   | m      | m        | Mean      | Deviation  |
| Price      | 136 | .58    | 10.10    | 4.2009    | 2.90030    |
| Production | 136 | 68.60  | 16480.00 | 3431.5574 | 4353.83142 |
| Area       | 136 | 134.50 | 6255.50  | 1858.1132 | 2093.58137 |

#### TABLE 3

#### **RESULTS FOR POOLED MODEL**

|      | Coefficient | St. error | T-ratio | P value |
|------|-------------|-----------|---------|---------|
| Area | 003         | 0.000     | -7.100  | 0.000   |

|            |       |       |        | 03    |
|------------|-------|-------|--------|-------|
| Production | .001  | 0.000 | 7.531  | 0.000 |
| Constant   | 4.492 | 0.286 | 15.716 | 0.000 |

## TABLE 4 **RESULTS FOR PANELE MODEL**

|            | Coefficient | St. error | Ζ     | P value |
|------------|-------------|-----------|-------|---------|
| Area       | 0026223     | .0003779  | -6.94 | 0.000   |
| Production | .0012821    | .0001864  | 6.88  | 0.000   |
| Import     | 3.86e-07    | 1.81e-07  | 2.13  | 0.033   |
| Constant   | 4.261012    | .3023698  | 14.09 | 0.000   |

|       | Within | Between | Over all |
|-------|--------|---------|----------|
| $R^2$ | 0.3310 | 0.3542  | 0.3236   |

| $\sigma_u^2$ | $\sigma_{e}^{2}$ |
|--------------|------------------|
| 0.00000      | 2.4190407        |

## **4. CONCLUSION**

From the table of descriptive statistics it can be seen that the average price of

Wheat is 4.2009 and the variation is 2.9003, for production the average is 3431.5574 and variation is 4353.83412

From the above analysis the pooled model for price of wheat is given bellow

# $w_{pit} = 4.492 + .001 w_{pr} - 0.003 w_{a}$

And from the p value we it can be concluded that the area and production has significant effect on the price of wheat. Further more from the above analysis it can be conclude that the panel model for wheat price is

$$w_{pit} = 4.261012 + .0012821 w_{pr} - -.0026223 w_a + 0.00000038 w_i$$

Which shows that production has positive and area has negative influence on price of wheat, and from the p values it can be

65

#### Akhlaq and Shahbaz

concluded that and from the value of  $\sigma_U^2 = 0$  we can conclude that the over all variation with in panel is zero. But from the value of  $\sigma_e^2 = 2.4190407$  the conclusion is that the variation in the coefficients of wheat production and area are variable between the province i.e. Punjab, Sindh, N.W.F.P., Balochistan is at the rate of 2.4190, and all coefficient are highly significant, and overall variation controlled by independent variable is 0.3236.

## REFERENCES

- 1. 50 Years of Pakistan in statistics (1998), Federal Bureau of Statistics-Statistics Division Government of Pakistan.
- 2. Economic survey of Pakistan for the years 1998 to 2004.
- 3. Anderson T.W. (1971), The statistical Analysis of Time Series, John Wiley, New York.
- 4. Irrigation and fertilizing winter Wheat in South Western Kansas, Kansas Agric. Exp. Sta. Bull. 442. (Field Crop Absts. 16(1): 6; (1963(.
- 5. William H. Green "Econometrics Analysis" fifth edition.
- 6. Anjum A. (1998). Wheat production and forecasting model for Pakistan. Dept. of Agriculture Economics. Uni. Of Arid Agriculture, Rawalpindi,
- 7. Shamma El. (1973). Effect of nitrogen fertilization on yield and yield components of wheat varieties. (Triticum aestirum L.) Iraqi J. Agric. Sci. 8(12): 81-90.
- 8. Hashim U.M. (1998). Import of support price on wheat (tritium aestivum) production in Pakistan. Dept of Agriculture Economics and rural sociology. University of Arid, Agriculture, Rawalpindi.
- Aziz A.M (1992). Analysis of wheat production Data districts Faisalabad (Punjab) by using stepwise regression procedure. M.Sc (Stats). University of Agriculture Faisalabad. (Research report).
- Saeed N., Saeed A., Zakria M., Bajwa M.T. (2000). Forecasting of wheat production in Pakistan using ARIMA. Dept. of Maths and Stats and Plant Breeding, Genticts (U.A.F). 38040, Pakistan. College of veterinary Science, Lahore. Pakistan. International. Journal of Agriculture and Biology 1560 8530/2000/02-4-352-353.